

AF3000

COLD SPRAY GALVANIZING COATING



CERTIFICATION

TECHNICAL DATA



DOMESTIC PRODUCT
Proudly made in the USA



FOR INSTALL SUPPORT
sales@allfasteners.com



FOR SPECIFICATION SUPPORT
certs@allfasteners.com



FOR CUSTOMER SUPPORT
888.859.6060



AF3000
COLD SPRAY GALVANIZING COATING



AF3000 Shiny Galvanizing Spray is a shiny, light gray dried paint film that contains 65% zinc max. This galvanizing spray conforms to ASTM A780-92A.

A shiny zinc enhanced zinc coating that prevents rust and provides excellent outdoor protection. This is the product of choice for the cosmetic restoration of galvanized metal, chain link fences, and guard rails. Does not meet specifications calling for 65% zinc in the can or greater than 90% zinc in the dried paint film. Fast dry, prevents rust, and has excellent outdoor durability.

Made in the USA



APPLICATIONS

- Telecom Towers
- All Vehicle Bodies
- Agricultural, Mining & Construction Equipment
- Piping, Storage Tanks
- Bridges
- Ships & Marine Equipment

PROPERTIES

TABLE 1: AF3000 PROPERTIES

COVERAGE	Up to 15 Square Feet
CLEANUP	Paint or Lacquer Thinner
FLAMMABILITY	Extremely Flammable
FLASH POINT	-4°F
SPECIFIC GRAVITY	0.78
SOLIDS CONTENT	23%
ZINC IN DRIED PAINT FILM	4%
MIR VALUE	1.16, Cannot Exceed 1.25
HAPS CONTENT	32%
STORAGE TEMPERATURE	40°F to 100°F
APPLICATION TEMPERATURE	50°F to 90°F
HEAT RESISTANCE	250°F
RESIN SYSTEM	Alkyd
SHELF LIFE	2 Years
FOOD CONTACT RATING	No

GLOSS INFORMATION

- Gloss*: Flat < 15
*as measured on a 60 degree gloss meter.

DRY TIME*

*At 72°F, 50% humidity, 1.5 mil thickness.

TABLE 2: AF3000 DRY TIME

TO TOUCH	10 Minutes
TO RECOAT	Anytime



AF3000
COLD SPRAY GALVANIZING COATING



ORDERING INFORMATION

TABLE 3: AF3000 ORDERING INFORMATION

PART NUMBER	SIZE	ZINC %	FINISH/COLOR	QTY
12AF3000-13	13oz	65% Zinc	Shiny, Light Gray	1