

# METACAULK 150+

FIRESTOP SEALANT

CERTIFICATION

MATERIAL SAFETY DATA



**FOR INSTALL SUPPORT**  
[sales@allfasteners.com](mailto:sales@allfasteners.com)



**FOR SPECIFICATION SUPPORT**  
[certs@allfasteners.com](mailto:certs@allfasteners.com)



**FOR CUSTOMER SUPPORT**  
888.859.6060

**METACAULK 150+**  
FIRESTOP SEALANT**SECTION 1: IDENTIFICATION****1.1 PRODUCT IDENTIFIER**

Metacaulk MC 150+

**1.2 OTHER MEANS OF IDENTIFICATION**

Other Means of Identification: Not available.

**1.3 PRODUCT TYPE**

Product Type: Sealant

**1.4 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE & USE ADVISED AGAINST**

Identified Uses: Firestop Sealant

**1.5 SUPPLIERS DETAILS**

**Company Name:** Allfasteners USA LLC  
480 Meadow Lane  
Carlstadt, NJ 07072  
United States

**Telephone:** 888.859.6060

**Fax:** 201.783.8840

**Email:** sales@allfasteners.com

**1.6 EMERGENCY PHONE NUMBER**

Emergency Telephone: 888.859.6060

**SECTION 2: HAZARDOUS IDENTIFICATION****2.1 GHS CLASSIFICATION - PHYSICAL HAZARDS**

Physical Hazards: None

**METACAULK 150+**  
FIRESTOP SEALANT**2.2 GHS CLASSIFICATION - HEALTH HAZARDS****Acute Toxicity****Oral:** Not Classified**Dermal:** Not Classified**Inhalation:** Not Classified**Skin/Corrosion/Irritation:** Not Classified**Serious Eye Damage/Irritation:** Not Classified**Respiratory or Skin****Sensitization:** Not Classified**Germ Cell Mutagenicity:** Not Classified**Carcinogenicity:** Not Classified**Reproductive Toxicology:** Not Classified**Target Organ Systemic  
Toxicity - Single Exposure:** Not Classified**Target Organ Systemic  
Toxicity - Repeat Exposure:** Not Classified**Aspiration Toxicity****Aspiration Toxicity:** Not Classified**2.3 ENVIRONMENTAL HAZARDS****Hazardous to the Aquatic  
Environment:**

Not Classified

**Acute Aquatic Toxicity:**

Not Classified

**Chronic Aquatic Toxicity:**

Not Classified

**Bioaccumulation Potential:**

Not Classified

**Rapid Degradability:**

Not Classified

**2.4 GHS LABEL ELEMENTS****Hazard Pictograms:** None.**Signal Word:** None.**Hazard Statements:** None.**Precautionary Statements:** P102 - Keep out of reach of children.  
P264 - Wash hands thoroughly after handling..

**METACAULK 150+**  
FIRESTOP SEALANT**2.5 CLASSIFICATION ACCORDING TO EU DIRECTIVES 67/548/EEC OR 1999/45/EC**

**Labeling Symbols:** None

**Risk R-Phrases:** None

**Safety S-Phrases:** S2: Keep out of reach of children.

**2.6 SUMMARY OF ACUTE HAZARDS**

**Summary:** May cause skin irritation

**2.7 ROUTE OF EXPOSURE, SIGNS AND SYMPTOMS**

**Inhalation:** Not a respiratory irritant.

**Eye Contact:** Contact may cause eye irritation.

**Skin Contact:** Contact may cause eye irritation.

**Ingestion:** Possible irritation to mucous membranes of the mouth, throat and stomach.

**Summary of Chronic Hazards:** None known.

**Medical Conditions Aggravated by Exposure:** Persons with pre-existing skin conditions or chemical allergies may be more susceptible to contact effects of the cured elastomeric.

**SECTION 3: COMPOSITION/INFORMATION OF INGREDIENTS****3.1 SUBSTANCE/MIXTURE**

% by WT	CAS No,	Ingredient	Units
None as defined by OSHA Hazard Communication Standard 29 CFR 1910.1200.			

**SECTION 4: FIRST AID MEASURES****4.1 DESCRIPTION OF NECESSARY FIRST AID MEASURES**

**Inhalation:** Not a respiratory irritant.

**Skin Contact:** Wash with soap and water. If irritation occurs, seek medical attention.

**Eye Contact:** Immediately flush with large amounts of water. If irritation occurs, seek medical attention.

**Ingestion:** If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

**METACAULK 150+**  
FIRESTOP SEALANT**SECTION 5: FIRE-FIGHTING MEASURES****5.1 EXTINGUISHING MEDIA**

**Suitable Extinguishing Media:** Foam, dry chemical, carbon dioxide or water fog.

**5.2 SPECIAL FIRE FIGHTING PROCEDURES**

**Special Fire Fighting Procedures:** Wear self-contained breathing apparatus (SCBA) and other protective clothing. Hazardous decomposition products possible (see Section 10).

**5.3 UNUSUAL FIRE AND EXPLOSION HAZARDS**

**Unusual Fire and Explosion Hazards:** Heat may build up and rupture closed containers.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 STEPS TO BE TAKEN INCASE MATERIAL IS RELEASED OR SPILLED**

**Incase Material is Released or Spilled:** Wipe up spills to prevent footing hazard. Avoid flushing into sewers, drains, waterways and soil. Wear protective clothing during clean up.

**SECTION 7: HANDLING AND STORAGE****7.1 PRECAUTIONS FOR SAFE HANDLING**

**Precautions to be Taken in Handling & Storage:** Keep container closed and upright when not in use. To prevent freezing and possible rupture of container, do not store below 35°F.

**Other Precautions:** Avoid prolonged or repeated contact with skin or clothing. Empty containers may contain residues and vapors: treat as if full and observe all product precautions. Do not reuse empty containers.

**Keep Out Of Reach Of Children**

**METACAULK 150+**

FIRESTOP SEALANT

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 CONTROL PARAMETERS**

**Respiratory Protection (Specify Type):** None Required.

**Ventilation - Local Exhaust:** N/A

**Special:** N/A

**Mechanical (General):** N/A

**Other:** N/A

**Protective Gloves:** None Required.

**Eye Protection:** None Required.

**Other Protective Clothing or Equipment:** None Required.

**Work/Hygienic Practices:** Where use can result in skin contact, wash exposed areas thoroughly before eating, drinking, smoking or leaving work area. Launder contaminated clothing before reuse.

**SECTION 9: PHYSICAL AND CHEMICAL APPEARANCE****9.1 APPEARANCE**

<b>Boiling Point:</b>	212°F (100°C) @ 760mm Hg	<b>Specific Gravity (H2O=1):</b>	1.5
<b>Vapor Pressure (mmHg):</b>	12 @ 68°F (20°C)	<b>Melting Point:</b>	N/A
<b>Vapor Density (Air=1):</b>	N/A	<b>Evaporation Rate (Ethyl Acetate=1)</b>	> 1
<b>Color:</b>	Red Paste	<b>Solubility in Water:</b>	Soluble
<b>Odor:</b>	Mild Odor	<b>Flash Point</b>	None
<b>VOC Content (Theoretical Percentage by Weight):</b>	< 1% or (< 10 g/L)	<b>Lower Explosion Limit:</b>	None
<b>Upper Explosion Limit:</b>	None		

**SECTION 10: STABILITY AND REACTIVITY****10.1 STABILITY AND REACTIVITY**

<b>Stability:</b>	Stable
<b>Conditions to Avoid:</b>	None
<b>Incompatibility (Materials to Avoid):</b>	None Known
<b>Hazardous Decomposition Products:</b>	CO, CO <sub>2</sub> and Fragmented Hydrocarbons
<b>Hazardous Polymerization:</b>	Will Not Occur

**METACAULK 150+**  
FIRESTOP SEALANT**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 CHRONIC HEALTH HAZARDS**

No ingredient in this product is an IARC, NTP or OSHA Lister carcinogen.

**Toxicology Data:** None

**Ingredient Name:** None

**SECTION 12: ECOLOGICAL INFORMATION****12.1 ECOLOGICAL INFORMATION**

**Ingredient Name:** None

**Food Chain Concentration Potential:** There is no data available.

**Waterfowl Toxicity:** There is no data available.

**BOD:** There is no data available.

**Aquatic Toxicity:** There is no data available.

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 DISPOSAL CONSIDERATIONS**

**Waste Classification:** Non-regulated solid waste.

**Disposal Methods:** Approved Landfill

Waste from this product is not considered hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Dispose of in accordance with federal, state and local regulation regarding pollution.

**SECTION 14: TRANSPORT INFORMATION****14.1 TRANSPORT INFORMATION**

**DOT:** Non-regulated

**Ocean (IMDG):** Non-regulated

**Air (IATA):** Non-regulated

**WHMIS (Canada):** Non-regulated

**METACAULK 150+**  
FIRESTOP SEALANT**SECTION 15: REGULATORY INFORMATION****15.1 REGULATORY INFORMATION**

**Ingredient Name:** None  
**SARA 313:** N/A  
**TSCA Inventory:** All Components Listed  
**CERCLA RQ:** N/A  
**RCRA Code:** N/A

**SECTION 16: OTHER INFORMATION****16.1 PROCEDURE USED TO DERIVE THE CLASSIFICATION**

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). The information herein is given in good faith, but no warranty, expressed or implied is made.

**16.2 HISTORY**

**Date of issue mm/dd/yyyy:** 08/21/2017  
**Version:** 1

**16.3 HAZARDOUS MATERIAL INFORMATION SYSTEM (USA)****TABLE 1: HAZARDOUS MATERIALS**

TYPE	RATING
Health	1
Flammability	0
Reactivity	0
PPI	B

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

**16.4 DISCLAIMER****NOTICE TO READER**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.